POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population 155,510  Population per square mile 570 County ranking in state (1-72) 4	as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 46.5 3.0 Administrative 5.0 0.3			
Age Female Male Total 0-14 16,100 17,320 33,410 15-19 5,640 6,030 11,670 20-24 5,310 5,390 10,700	Clients Costs COP 45 \$988,045  MA Waiver * CIP1A 25 \$1,307,946 CIP1B 182 \$5,164,762 CIP2 93 \$1,361,465	Public health nurses 18.4 1.2 Other prof. staff 16.7 1.1			
25-29 5, 190 5, 230 10, 410 30-34 5, 270 5, 480 10, 750 35-39 6, 060 6, 230 12, 290 40-44 6, 790 6, 910 13, 690	CIP1A 25 \$1, 307, 946 CIP1B 182 \$5, 164, 762 CIP2 93 \$1, 361, 465 COP-W 331 \$4, 127, 511 CSLA 0 \$0 Brain Injury 6 \$231, 673 Total COP/Wvrs 682 \$12, 193, 358	Fundi ng Per capi ta Total \$4,492,209 \$29.13 Local Taxes \$1,996,379 \$12.94			
45-54 10, 890 11, 080 21, 970 55-64 6, 800 6, 490 13, 290	\$485,735 of the above waiver costs	LICENSED ESTABLISHMENTS			
65-74 4, 700 3, 860 8, 570 75-84 3, 860 2, 430 6, 290 85+ 1, 740 710 2, 450 Total 78, 340 77, 170 155, 510	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 11 3 Camps 576 7 Hotels, Motels 1,305 39			
Age Female Male Total 0-17 19,500 21,020 40,510 18-44 30,860 31,570 62,410	* Wai ver costs reported here include federal funding.  Clients Costs	Tourist Rooming 4 1 Pools 44 Restaurants 650 Vending 28			
45-64 17, 690 17, 570 35, 260 65+ 10, 300 7, 000 17, 310 Total 78, 340 77, 170 155, 510	Clients Costs Eligible and Waiting 685 n/a  (Family Care not provided in county)	WIC PARTICIPANTS			
Poverty Estimates for 2000	(raining care not provided in county)				
Estimate (C.I.+/-) All ages 11,213 543 7.5% (5%) Ages 0-17 4,001 287 9.9% (7%)	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Pregnant/Postpartum 1,750 Infants 1,848 Children, age 1-4 2,410 Total 6,008			
EMPLOYMENT	_	CANCER INCIDENCE (2002)			
Average wage for jobs covered by unemployment compensation \$32,834 (place of work)  Annual	Patients per 10,000 pop. 116	Primary Site Breast 91 Cervical 6 Colorectal 82			
Labor Force Estimates Average	Nursi ng Homes 9 Li censed beds 1, 106 Occupancy rate 87. 4% Resi dents on Dec. 31 991	Lung and Bronchus 104 Prostate 95 Other sites 291 Total 669			
Civilian Labor Force 82,772 Number employed 77,615 Number unemployed 5,157 Unemployment rate 6.2	Residents age 65 or older per 1,000 population 52	Note: Totals shown are for invasive cancers only.			

			NAT	ALLTY				
TOTAL LIVE BIRTHS		2, 160	Birth Order		Percent	Marital Status	•	
TOTAL ETTE BIKING		2, 100	First	829	38	of Mother	Births	Percent
Crude Live Birth Rate		13. 9	Second	783	36	Marri ed	1, 439	67
General Fertility Rat		63. 1	Thi rd	344	16	Not married		33
deneral relitivity Rat	C	03. 1	Fourth or higher	204	9	Unknown	721	0
Live hirths with repo	rtod		Unknown	0	0	OTIKITOWIT	U	U
Live births with repo congenital anomalies	າເອນ	2 1 00/	ULIKLIOWIT	U	U	Educati on		
congenital anomalies 22 1.0%					Education of Mother	Bi rths	Percent	
Dolivery Tyre	D: m+ho	Donoont	1at Dwamatal Viait	D: mtho	Donoont			
Delivery Type		Percent	1st Prenatal Visit		Percent	Elementary or		3
Vagi nal after	25	2	1st trimester	1, 873	87	Some high sch		12
previous cesarean	35	2	2nd trimester	230	11	High school Some college	761	35
Forceps	35 15 1 540	1	3rd trimester	37	2	Some correge	500	23
Other vaginal Primary cesarean	1, 540	1 71 15	No visits	16 4	<u>1</u>	College gradu	iate 548	25
Primary cesarean	334	15	Unknown	4	<. 5	Unknown	9	<. 5
Repeat cesarean	236	11		<b>5.</b>		0 11 0:		
<b>.</b>	51		Prenatal Visits		Percent	Smoking Status	5	ъ .
Birthweight	Bi rths	Percent	No visits	16	1	of Mother	Bi rths	Percent
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	30	1. 4	1-4	30	1	Smoker	331	15
1,500-2,499 gm	113	5. 2	5-9	347	16	Nonsmoker		85
2,500+ gm	2, 016	93. 3	10-12	931	43	Unknown	0	0
Unknown	1	<. 5	13+	830	38			
			Unknown	6	<. 5			
			Low Birthweight		Tri mest	ter of First Pren		
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	0ther	′Unknown
Race/Ethni ci ty	Births P		(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percen	Other/ It Births	Percent
White	1, 653	77	(under 2,500 gm) Births Percent 98 5.9	Bi rths 1, 494	imester Percent 90	2nd Trimester Births Percen 129 8	Other at Births 30	Percent 2
White Black/Afr. American	1, 653 178	77 8	(under 2,500 gm) Births Percent	Bi rths 1, 494 131	i mester Percent 90 74	2nd Trimester Births Percen 129 8 35 20	other at Births 30 12	Percent
White Black/Afr. American	1, 653 178	77 8 1	(under 2,500 gm) Births Percent 98 5.9 22 12.4	Bi rths 1, 494 131 10	i mester Percent 90 74 91	2nd Trimester Births Percen 129 8 35 20 1 9	Other/ at Births 30 12	Percent 2 7
White Black/Afr. American	1, 653 178	77 8 1 13	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4	Bi rths 1, 494 131 10 206	i mester Percent 90 74	2nd Trimester Births Percen 129 8 35 20 1 9 61 22	Other/ at Births 30 12	Percent 2
White Black/Afr. American	1, 653 178	77 8 1 13 <. 5	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 *	Bi rths 1, 494 131 10 206	imester Percent 90 74 91 73	2nd Trimester Births Percen 129 8 35 20 1 9 61 22	Othera Births 30 12 . 14	Percent 2 7 5
White Black/Afr. American	1, 653 178	77 8 1 13	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4	Bi rths 1, 494 131 10 206	i mester Percent 90 74 91	2nd Trimester Births Percen 129 8 35 20 1 9 61 22	Othera Births 30 12 . 14	Percent 2 7
White Black/Afr. American	1, 653 178	77 8 1 13 <. 5	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9	Bi rths 1, 494 131 10 206	i mester Percent 90 74 91 73 86	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * . 4 11	Other/ It Births 30 12 1 14 1 14	Percent 2 7 5
White Black/Afr. American	1, 653 178 11 281 1 36	77 8 1 13 <.5 2	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9	Bi rths 1, 494 131 10 206 *	imester Percent 90 74 91 73 . 86	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11	Othera Births 30 12 14 * 14 * atal Visit	Percent 2 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 653 178 11 281 1 36	77 8 1 13 <.5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm)	Bi rths 1, 494 131 10 206 * 31 	i mester Percent 90 74 91 73 . 86 Tri mest	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11	Othera It Births 30 12 14 * 14 * atal Visit	Percent 2 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	1, 653 178 11 281 1 36 	77 8 1 13 < . 5 2  rtility Rate	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9	Bi rths 1, 494 131 10 206 * 31  1st Tr Bi rths	imester Percent 90 74 91 73 . 86	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11	Othera It Births 30 12 14 * 14 * atal Visit	Percent 2 7
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	1, 653 178 11 281 1 36 	77 8 1 13 <.5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent *	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths *	imester Percent 90 74 91 73 . 86 Trimester Percent	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11	Othera It Births 30 12 1. 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Percent 2 7 . 5 . 3 'Unknown Percent .
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	1, 653 178 11 281 1 36 	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths *	imester Percent 90 74 91 73 . 86 Trimestimester Percent . 67	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11	Othera It Births 30 12 1. 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Percent 2 7 . 5 . 3 /Unknown Percent . 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	1, 653 178 11 281 1 36 	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131	imester Percent 90 74 91 73 . 86 Trimestimester Percent . 67 77	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19	Othera It Births 30 12 1. 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540	77 8 1 13 <.5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445	imester Percent 90 74 91 73 . 86 Trimester Percent . 67 77 82	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14	Othera It Births 30 12 14 14 1 14 10 14 15 16 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Percent 2 7 . 5 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540 593	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531	i mester Percent 90 74 91 73 . 86 Tri mester Percent . 67 77 82 90	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 8	Othera It Births 30 12 14 14 1 1 1 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4 4 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540 593 521	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4 40 7.7	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531 477	imester Percent 90 74 91 73 . 86 Trimester Percent . 67 77 82 90 92	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 88 40 88	Other/ It Births 30 12 14 14 15 16 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4 4 3 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540 593 521 237	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4 40 7.7 6 2.5	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531 477 216	i mester Percent 90 74 91 73 . 86 Tri mest i mester Percent . 67 77 82 90 92 91	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 88 40 88	Othera It Births 30 12 14 14 15 16 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4 4 3 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540 593 521	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4 40 7.7	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531 477	imester Percent 90 74 91 73 . 86 Trimester Percent . 67 77 82 90 92	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 88 40 88	Othera It Births 30 12 14 14 15 16 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4 4 3 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 653 178 11 281 1 36  Fe Bi rths 1 57 170 540 593 521 237	77 8 1 13 < . 5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4 40 7.7 6 2.5	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531 477 216	i mester Percent 90 74 91 73 . 86 Tri mest i mester Percent . 67 77 82 90 92 91	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 88 40 88	Othera It Births 30 12 14 14 15 16 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	Percent 2 7 . 5 . 3 /Unknown Percent . 4 4 4 3 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 653 178 11 281 1 36 	77 8 1 13 <.5 2 	(under 2,500 gm) Births Percent 98 5.9 22 12.4 18 6.4 * 5 13.9  Low Birthweight (under 2,500 gm) Births Percent * 4 7.0 19 11.2 31 5.7 38 6.4 40 7.7 6 2.5 5 12.2	Bi rths 1, 494 131 10 206 * 31 1st Tr Bi rths * 38 131 445 531 477 216 34	i mester Percent 90 74 91 73 . 86 Tri mest i mester Percent . 67 77 82 90 92 91 83	2nd Trimester Births Percen 129 8 35 20 1 9 61 22 * 4 11 ter of First Pren 2nd Trimester Births Percen * 17 30 33 19 74 14 47 88 40 88	Other/ It Births 30 12 14 14 1 1	Percent 2 7 . 5 . 3

MORBI DI TY		MO	RTALLTY				
	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.  Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnaire's Lyme Measl es Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis Sal monel Losis  Number  31 Number 31 Number 32 Number 33 Number 34 Number 33 Number 34 Number 34 Number 34 Number 35 Number 36 Number 37 N	TOTAL DEATHS	1, 266 814  eaths Rate  1 . 4 . 6 . 32 100 123 256 137 1,030 189 2,207 366 5,816 397 16,226	Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle	340 219 239 154 293 188 90 58 26 17 17 .* 91 59 71 46 22 14 53 34 19 .			
Shi gellosis 14 Tuberculosis 0  * 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality De Total Infant Neonatal Postneonatal	eaths Rate 11 . 7 . 4 .	Infect./Parasitic Dis. Suicide  * Based on female population  ALCOHOL AND DRUG ABUSE AS UI OR CONTRIBUTING CAUSE OF	NDERLYI NG			
Sexually Transmitted Disease Chlamydia Trachomatis 460 Genital Herpes 82 Gonorrhea 100 Syphilis <5	Unknown  Race of Mother Whi te BI ack Hi spani c Laoti an/Hmong Other/Unknown	9 . 2 . 	Al cohol Other Drugs Both Mentioned * Includes tobacco use (see MOTOR VEHICLE CRAS	page 7). SHES			
Children in Grades K-12 by Compliance Level Compliant 28,672 Non-compliant 761 Percent Compliant 97.4	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Fetal	eaths Rate	of crash, not on resi  Type of Motor Perso Vehicle Crash Inju Total Crashes 2, Alcohol-Related With Citation: For OWl For Speeding Motorcyclist	dence.			

			- 2003 HOSP	TALIZATIONS				
	Per Averag	е	Charge		Per	Average		Charge
DI SEASE /	1,000 Stay	Average	Per	DI SEASE /	1, 000	Staÿ	Average	Per
AGE GROUP Number	Pop (Days		Capi ta	AGE GROUP Number	Pop	(Days)	Charge	Capi ta
		,				`	J	· i
Injury-Related: All				Al cohol -Rel ated				
Total 1, 392	9. 0 5. 4	\$21, 099	\$189	Total 273	1.8	4. 0	\$7, 393	\$13
<18 157		\$17, 897	\$69	18-44 127		4. 0	\$7, 150	\$15
18-44 394		\$21, 374	\$135	45-64 127	3.6	4. 0	\$7, 393	\$27
45-64 350		\$21, 708	\$215	Pneumonia and Influenza		0	4.70.0	Ψ=.
65+ 491	28. 4 6. 4		\$609	Total 648		5. 4	\$12, 411	\$52
Injury: Hip Fracture	20 0	ΨΖ1/10/	Ψ007	<18 127	3. 1	3. 0	\$6, 236	\$20
Total 175	1. 1 6. 5	\$23, 976	\$27	45-64 124			\$14, 894	\$52
65+ 145	8. 4 6. 6		\$199	65+ 344		6. 4	\$13, 900	\$276
Injury: Poi soni ngs	0. 1 0. 0	Ψ20, 720	ΨΙ	Cerebrovascul ar Di sease		0. 1	φ10, 700	Ψ270
Total 160	1. 0 2. 1	\$7, 103	\$7	Total 475		4. 6	\$17, 344	\$53
18-44 95	1. 5 2. 0		\$10	45-64 117		3. 8	\$17, 250	\$53 \$57
10-44 73	1. 5 2. 0	ΨO, 117	ΨΙΟ	65+ 344		4. 6	\$16, 489	\$328
Psychi atri c				Chronic Obstructive Pul			\$10,407	\$320
Total 1, 216	7.8 7.3	\$7,634	\$60	Total 619	4.0	4. 2	\$8, 534	\$34
<18 318	7. 8 6. 7		\$57	<18 96		1. 9	\$6, 534 \$3, 605	\$34 \$9
18-44 568	9.1 6.6		\$57 \$59	18-44		3. 7	\$3, 003 \$7, 289	\$13
		\$0, 44U						
45-64 236			\$60 \$69		5.0	4.3	\$8, 884	\$44
65+ 94	5. 4 10. 3	\$12, 622	<b>\$</b> 09	65+ 233	13. 5	5. 4	\$10, 916	\$147
Occasional Harvet Biographic				Drug-Rel ated	٥. ٦	г (	<b>#</b> / <b>2</b> / <b>2</b>	40
Coronary Heart Disease	F 2 2 7	¢21 200	<b>41/1</b>	Total 84		5. 6	\$6, 260	\$3
Total 818		\$31, 208	\$164	18-44 66	1.1	4. 8	\$5, 250	\$6
45-64 288		\$32, 992	\$269	<b>+</b>				
65+ 479	27. 7 4. 2	\$30, 552	\$846	Total Hospitalizations	400.4	4 -	<b>440 FF</b> (	44 (70
	> A11			Total 19, 188		4. 5		\$1,673
Malignant Neoplasms (Ca	ıncers): Alı	***	*400	<18 3, 566	88. 0	3. 1	\$6, 132	\$540
Total 541	3. 5 7. 4	\$29, 464	\$103	18-44 5, 326	85. 3	3. 5	\$10, 603	\$905
18-44 50	0.8 6.5	\$32, 044	\$26	45-64 4, 040	114.6		\$17, 583	\$2,015
45-64 180	5. 1 6. 1	\$28, 337	\$145	65+ 6, 256	361.5	5. 9	\$17, 701	\$6, 400
65+ 302	17. 5 8. 0	\$27, 993	\$489					
Neoplasms: Female Bre	east (rates fo	r female po	opul ati on)	PREVENTABL				
Total 29	0.4 2.9	\$17, 897 <sup>°</sup>	\$7	Total 2, 805	18. 0	4. 9	\$11, 703	\$211
Neoplasms: Colo-recta	nl .			<18 404	10.0	2. 3	\$5, 113	\$51
Total 75		\$41, 417	\$20	18-44 433		3. 4	\$8, 815	\$61
65+ 61	3. 5 12. 9	\$44, 784	\$158	45-64 622		4. 9	\$13, 426	\$237
Neoplasms: Lung				65+ 1, 346	77.8	6. 0	\$13, 814	\$1,075
Total 64	0.4 6.2	\$24, 333	\$10					į
								İ
Di abetes				* Hospitalizations for cor	di ti ons	where ti	imely and	effective
Total 220	1.4 4.5	\$11, 486	\$16	ambulatory care can reduce	the lik	cel i hood	of hospit	tal i zati on. 🖡
65+ 70	4. 0 5. 5	\$11, 777	\$48	-			•	į
		-						į